



Road signs

Road signs are used to help manage traffic and are the designs below are manufactured according to current Australian Standards. These signs are grouped according to intended use.

This category includes our most popular road signs, however we can also produce other signs listed in the Standard.

Road signs are manufactured in metal or aluminium in a variety of sizes as dictated by the Standard. In most instances, road signs are usually Class 1 retroreflective.

Brackets, poles and mounting posts are sold separately - choose from our range to suit your requirements. Further details and specifications can be found on page 124.

Regulatory signs



Size (mm)	Code
600 x 600	RS-R11A
750 x 750	RS-R11B



Size (mm)	Code
750 high	RS-R12A
900 high	RS-R12B



Size (mm)	Code
750 high	RS-R13A
900 high	RS-R13B



Size (mm)	Code
450 x 600	RS-R22AL
600 x 800	RS-R22BL



Size (mm)	Code
450 x 600	RS-R22AR
600 x 800	RS-R22BR



Size (mm)	Code
450 x 600	RS-R23AL
600 x 800	RS-R23BL



Size (mm)	Code
450 x 600	RS-R23AR
600 x 800	RS-R23BR



Size (mm)	Code
450 x 450	RS-R24A
600 x 600	RS-R24B
750 x 750	RS-R24C
900 x 900	RS-R24D



Size (mm)	Code
450 x 450	RS-R25A
600 x 600	RS-R25B
750 x 750	RS-R25C
900 x 900	RS-R25D



Size (mm)	Code
450 x 450	RS-R26AL
600 x 600	RS-R26BL
750 x 750	RS-R26CL
900 x 900	RS-R26DL



Size (mm)	Code
450 x 450	RS-R26AR
600 x 600	RS-R26BR
750 x 750	RS-R26CR
900 x 900	RS-R26DR



Size (mm)	Code
450 x 600	RS-R27A
600 x 800	RS-R27B




Size (mm)	Code
450 x 750	RS-R29AL
600 x 1000	RS-R29BL



Size (mm)	Code
450 x 750	RS-R29AR
600 x 1000	RS-R29BR



Size (mm)	Code
600 x 600	RS-R210



Size (mm)	Code
450 x 600	RS-R211A
600 x 800	RS-R211B



Size (mm)	Code
600 x 800	RS-R214AL
900 x 1200	RS-R214BL



Size (mm)	Code
600 x 800	RS-R214AR
900 x 1200	RS-R214BR



Size (mm)	Code
450 x 600	RS-R215A
600 x 800	RS-R215B



Size (mm)	Code
450 x 750	RS-R217A
600 x 1000	RS-R217B
900 x 1500	RS-R217C



Size (mm)	Code
800 x 1200	RS-R219



Size (mm)	Code
600 dia	RS-R31A
750 dia	RS-R31B
900 dia	RS-R31C



Size (mm)	Code
450 dia	RS-R32A
600 dia	RS-R32B



Size (mm)	Code
600 x 600	RS-R33



Size (mm)	Code
450 x 1200	RS-R34A
600 x 1600	RS-R34B



Size (mm)	Code
90 x 110	RS-R35AL
300 x 500	RS-R35BL



Size (mm)	Code
90 x 110	RS-R35AR
300 x 500	RS-R35BR



Size (mm)	Code
450 x 600	RS-R41A10
600 x 800	RS-R41B10
900 x 1200	RS-R41C10
1200 x 1600	RS-R41D10



Road signs



Size (mm)	Code
450 x 600	RS-R41A20
600 x 800	RS-R41B20
900 x 1200	RS-R41C20
1200 x 1600	RS-R41D20



Size (mm)	Code
450 x 600	RS-R41A30
600 x 800	RS-R41B30
900 x 1200	RS-R41C30
1200 x 1600	RS-R41D30



Size (mm)	Code
450 x 600	RS-R41A40
600 x 800	RS-R41B40
900 x 1200	RS-R41C40
1200 x 1600	RS-R41D40



Size (mm)	Code
450 x 600	RS-R41A50
600 x 800	RS-R41B50
900 x 1200	RS-R41C50
1200 x 1600	RS-R41D50



Size (mm)	Code
450 x 600	RS-R41A60
600 x 800	RS-R41B60
900 x 1200	RS-R41C60
1200 x 1600	RS-R41D60



Size (mm)	Code
450 x 600	RS-R41A70
600 x 800	RS-R41B70
900 x 1200	RS-R41C70
1200 x 1600	RS-R41D70



Size (mm)	Code
450 x 600	RS-R41A80
600 x 800	RS-R41B80
900 x 1200	RS-R41C80
1200 x 1600	RS-R41D80



Size (mm)	Code
450 x 600	RS-R41A90
600 x 800	RS-R41B90
900 x 1200	RS-R41C90
1200 x 1600	RS-R41D90



Size (mm)	Code
450 x 600	RS-R41A100
600 x 800	RS-R41B100
900 x 1200	RS-R41C100
1200 x 1600	RS-R41D100



Size (mm)	Code
450 x 600	RS-R41A110
600 x 800	RS-R41B110
900 x 1200	RS-R41C110
1200 x 1600	RS-R41D110



Size (mm)	Code
450 x 300	RS-R43A
600 x 500	RS-R43B
900 x 600	RS-R43C



Size (mm)	Code
450 x 750	RS-R44



Size (mm)	Code
450 x 750	RS-R45



Size (mm)	Code
450 x 300	RS-R48A
600 x 500	RS-R48B



Size (mm)	Code
450 x 450	RS-R49A
600 x 600	RS-R49B



Size (mm)	Code
450 x 750	RS-R410A20
600 x 1000	RS-R410B20



Size (mm)	Code
450 x 750	RS-R410A30
600 x 1000	RS-R410B30



Size (mm)	Code
450 x 750	RS-R410A40
600 x 1000	RS-R410B40



Size (mm)	Code
450 x 750	RS-R410A50
600 x 1000	RS-R410B50



Size (mm)	Code
450 x 750	RS-R410A60
600 x 1000	RS-R410B60



Size (mm)	Code
450 x 750	RS-R411A20
600 x 1000	RS-R411B20



Size (mm)	Code
450 x 750	RS-R411A30
600 x 1000	RS-R411B30



Size (mm)	Code
450 x 750	RS-R411A40
600 x 1000	RS-R411B40



Size (mm)	Code
450 x 750	RS-R411A50
600 x 1000	RS-R411B50



Size (mm)	Code
450 x 750	RS-R411A60
600 x 1000	RS-R411B60



Size (mm)	Code
600 x 1000	RS-R412A20
800 x 1334	RS-R412B20



Size (mm)	Code
600 x 1000	RS-R412A30
800 x 1334	RS-R412B30



Size (mm)	Code
600 x 1000	RS-R412A40
800 x 1334	RS-R412B40



Size (mm)	Code
600 x 1000	RS-R412A50
800 x 1334	RS-R412B50



Size (mm)	Code
600 x 1000	RS-R412A60
800 x 1334	RS-R412B60




Size (mm)	Code
750 x 900	RS-R61A
1200 x 1450	RS-R61B




Size (mm)	Code
750 x 900	RS-R62A
1200 x 1450	RS-R62B



Road signs



Size (mm)	Code
600 x 900	RS-R63A
900 x 1350	RS-R63B



Size (mm)	Code
600 x 900	RS-R64A
900 x 1350	RS-R64B



Size (mm)	Code
450 x 750	RS-R66A
675 x 1125	RS-R66B



Size (mm)	Code
450 x 600	RS-R69



Size (mm)	Code
600 x 600	RS-R610A
900 x 900	RS-R610B
1200 x 1200	RS-R610C



Size (mm)	Code
600 x 600	RS-R6102A
900 x 900	RS-R6102B
1200 x 1200	RS-R6102C



Size (mm)	Code
450 x 450	RS-R6103A
600 x 600	RS-R6103B
750 x 750	RS-R6103C
900 x 900	RS-R6103D



Size (mm)	Code
1950 x 600	RS-R611



Size (mm)	Code
1500 x 600	RS-R612



Size (mm)	Code
1200 x 1500	RS-R613



Size (mm)	Code
450 x 750	RS-R614A
675 x 1125	RS-R614B



Size (mm)	Code
300 x 300	RS-R615A
450 x 450	RS-R615B



Size (mm)	Code
1200 x 600	RS-R629A
1800 x 900	RS-R629B
2500 x 1200	RS-R629C



Size (mm)	Code
1200 x 800	RS-R632



Size (mm)	Code
600 x 800	RS-R711C
900 x 1200	RS-R711D
1200 x 1600	RS-R711E



Size (mm)	Code
600 x 800	RS-R713C
900 x 1200	RS-R713D
1200 x 1600	RS-R713E



Size (mm)	Code
450 x 600	RS-R714B
600 x 800	RS-R714C
900 x 1200	RS-R714D



Size (mm)	Code
600 x 800	RS-R715C
900 x 1200	RS-R715D



Size (mm)	Code
600 x 800	RS-R716CB
900 x 1200	RS-R716DB
1200 x 1600	RS-R716EB



Size (mm)	Code
450 x 300	RS-R73BL
600 x 500	RS-R73CL
900 x 600	RS-R73DL
1200 x 800	RS-R73EL



Size (mm)	Code
450 x 300	RS-R73BR
600 x 500	RS-R73CR
900 x 600	RS-R73DR
1200 x 800	RS-R73ER



Size (mm)	Code
300 x 100	RS-R74A
450 x 150	RS-R74B
600 x 200	RS-R74C
900 x 300	RS-R74D
1200 x 500	RS-R74E



Size (mm)	Code
450 x 300	RS-R75B
600 x 500	RS-R75C
900 x 600	RS-R75D
1200 x 800	RS-R75E



Size (mm)	Code
1500 x 500	RS-R761L



Size (mm)	Code
1500 x 500	RS-R762



Size (mm)	Code
1600 x 500	RS-R763



Size (mm)	Code
1600 x 500	RS-R764



Size (mm)	Code
600 x 800	RS-R771C
900 x 1200	RS-R771D
1200 x 1600	RS-R771E



Size (mm)	Code
600 x 800	RS-R772C
900 x 1200	RS-R772D
1200 x 1600	RS-R772E



Size (mm)	Code
300 x 500	RS-R81A
450 x 600	RS-R81B
600 x 800	RS-R81C



Size (mm)	Code
300 x 500	RS-R82A
450 x 600	RS-R82B
600 x 800	RS-R82C



Size (mm)	Code
300 x 300	RS-R83AL
450 x 450	RS-R83BL
600 x 600	RS-R83CL



Road signs



Size (mm)	Code
300 x 300	RS-R83AR
450 x 450	RS-R83BR
600 x 600	RS-R83CR



Traffic paddle

Red and white STOP sign with yellow and black SLOW sign on reverse.

- STOP designed to R6-8 specifications
- SLOW designed to T7-1 specifications
- Two sign sizes available
- Choose from aluminium or wooden handle

Handle	Size (mm)	Code
Aluminium	450mm diameter	SSTPA-450-C1
Aluminium	600mm diameter	SSTPA-600-C1
Wooden	450mm diameter	SSTPW-450-C1
Wooden	600mm diameter	SSTPW-600-C1

Warning signs



Size (mm)	Code
600 x 600	RS-W11AL
750 x 750	RS-W11BL
900 x 900	RS-W11CL



Size (mm)	Code
600 x 600	RS-W11AR
750 x 750	RS-W11BR
900 x 900	RS-W11CR



Size (mm)	Code
600 x 600	RS-W13AL
750 x 750	RS-W13BL
900 x 900	RS-W13CL



Size (mm)	Code
600 x 600	RS-W13AR
750 x 750	RS-W13BR
900 x 900	RS-W13CR



Size (mm)	Code
600 x 600	RS-W14AL
750 x 750	RS-W14BL
900 x 900	RS-W14CL



Size (mm)	Code
600 x 600	RS-W14AR
750 x 750	RS-W14BR
900 x 900	RS-W14CR



Size (mm)	Code
600 x 600	RS-W15AL
750 x 750	RS-W15BL
900 x 900	RS-W15CL



Size (mm)	Code
600 x 600	RS-W15AR
750 x 750	RS-W15BR
900 x 900	RS-W15CR



Size (mm)	Code
600 x 600	RS-W17AL
750 x 750	RS-W17BL
900 x 900	RS-W17CL



Size (mm)	Code
600 x 600	RS-W17AR
750 x 750	RS-W17BR
900 x 900	RS-W17CR



Size (mm)	Code
600 x 600	RS-W23A
750 x 750	RS-W23B
900 x 900	RS-W23C



Size (mm)	Code
600 x 600	RS-W24AL
750 x 750	RS-W24BL
900 x 900	RS-W24CL



Size (mm)	Code
600 x 600	RS-W24AR
750 x 750	RS-W24BR
900 x 900	RS-W24CR



Size (mm)	Code
600 x 600	RS-W27A
750 x 750	RS-W27B
900 x 900	RS-W27C



Size (mm)	Code
600 x 600	RS-W28AL
750 x 750	RS-W28BL
900 x 900	RS-W28CL



Size (mm)	Code
600 x 600	RS-W28AR
750 x 750	RS-W28BR
900 x 900	RS-W28CR



Size (mm)	Code
600 x 600	RS-W29AL
750 x 750	RS-W29BL
900 x 900	RS-W29CL



Size (mm)	Code
600 x 600	RS-W29AR
750 x 750	RS-W29BR
900 x 900	RS-W29CR



Size (mm)	Code
600 x 600	RS-W210AL
750 x 750	RS-W210BL
900 x 900	RS-W210CL



Size (mm)	Code
600 x 600	RS-W210AR
750 x 750	RS-W210BR
900 x 900	RS-W210CR



Size (mm)	Code
600 x 600	RS-W214AL
750 x 750	RS-W214BL
900 x 900	RS-W214CL



Size (mm)	Code
600 x 600	RS-W214AR
750 x 750	RS-W214BR
900 x 900	RS-W214CR



Size (mm)	Code
600 x 600	RS-W31A
750 x 750	RS-W31B
900 x 900	RS-W31C



Size (mm)	Code
600 x 600	RS-W32A
750 x 750	RS-W32B
900 x 900	RS-W32C



Size (mm)	Code
600 x 600	RS-W33A
750 x 750	RS-W33B
900 x 900	RS-W33C



Size (mm)	Code
600 x 600	RS-W34A
750 x 750	RS-W34B
900 x 900	RS-W34C



Size (mm)	Code
600 x 600	RS-W41A
750 x 750	RS-W41B
900 x 900	RS-W41C



Size (mm)	Code
600 x 600	RS-W43A
750 x 750	RS-W43B
900 x 900	RS-W43C



Road signs



Size (mm)	Code
600 x 600	RS-W44A
750 x 750	RS-W44B
900 x 900	RS-W44C



Size (mm)	Code
600 x 600	RS-W45A
750 x 750	RS-W45B
900 x 900	RS-W45C



Size (mm)	Code
600 x 600	RS-W46A
750 x 750	RS-W46B
900 x 900	RS-W46C



Size (mm)	Code
750 x 750	RS-W48B
900 x 900	RS-W48C



Size (mm)	Code
750 x 750	RS-W49B
900 x 900	RS-W49C



Size (mm)	Code
750 x 750	RS-W410B
900 x 900	RS-W410C



Size (mm)	Code
600 x 600	RS-W411A
750 x 750	RS-W411B
900 x 900	RS-W411C



Size (mm)	Code
600 x 600	RS-W571A
750 x 750	RS-W571B
900 x 900	RS-W571C



Size (mm)	Code
600 x 600	RS-W59A
750 x 750	RS-W59B
900 x 900	RS-W59C



Size (mm)	Code
600 x 600	RS-W510A
750 x 750	RS-W510B
900 x 900	RS-W510C



Size (mm)	Code
600 x 600	RS-W511A
750 x 750	RS-W511B
900 x 900	RS-W511C



Size (mm)	Code
600 x 600	RS-W512A
750 x 750	RS-W512B
900 x 900	RS-W512C



Size (mm)	Code
600 x 600	RS-W513A
750 x 750	RS-W513B
900 x 900	RS-W513C



Size (mm)	Code
600 x 600	RS-W514A
750 x 750	RS-W514B
900 x 900	RS-W514C



Size (mm)	Code
600 x 600	RS-W516A
750 x 750	RS-W516B
900 x 900	RS-W516C



Size (mm)	Code
600 x 600	RS-W518A
750 x 750	RS-W518B
900 x 900	RS-W518C



Size (mm)	Code
600 x 600	RS-W519A
750 x 750	RS-W519B
900 x 900	RS-W519C



Size (mm)	Code
600 x 600	RS-W520A
750 x 750	RS-W520B
900 x 900	RS-W520C



Size (mm)	Code
600 x 600	RS-W522A
750 x 750	RS-W522B
900 x 900	RS-W522C



Size (mm)	Code
600 x 600	RS-W529A
750 x 750	RS-W529B
900 x 900	RS-W529C



Size (mm)	Code
600 x 600	RS-W533A
750 x 750	RS-W533B



Size (mm)	Code
600 x 600	RS-W534AL
750 x 750	RS-W534BL
900 x 900	RS-W534CL



Size (mm)	Code
600 x 600	RS-W534AR
750 x 750	RS-W534BR
900 x 900	RS-W534CR



Size (mm)	Code
900 x 900	RS-W535CL
1200 x 1200	RS-W535DL



Size (mm)	Code
900 x 900	RS-W535CR
1200 x 1200	RS-W535DR



Size (mm)	Code
600 x 600	RS-W536A
750 x 750	RS-W536B
900 x 900	RS-W536C



Size (mm)	Code
600 x 600	RS-W538A
750 x 750	RS-W538B
900 x 900	RS-W538C



Size (mm)	Code
600 x 600	RS-W542A
750 x 750	RS-W542B
900 x 900	RS-W542C



Size (mm)	Code
600 x 600	RS-W543A
750 x 750	RS-W543B
900 x 900	RS-W543C



Size (mm)	Code
600 x 600	RS-W550A
750 x 750	RS-W550B
900 x 900	RS-W550C



Size (mm)	Code
600 x 600	RS-W61A
750 x 750	RS-W61B
900 x 900	RS-W61C



Size (mm)	Code
600 x 600	RS-W62A
750 x 750	RS-W62B
900 x 900	RS-W62C



Road signs



Size (mm)	Code
600 x 600	RS-W63A
750 x 750	RS-W63B
900 x 900	RS-W63C



Size (mm)	Code
600 x 600	RS-W67A
750 x 750	RS-W67B
900 x 900	RS-W67C



Size (mm)	Code
300 x 300	RS-W68A
450 x 450	RS-W68B



Size (mm)	Code
600 x 600	RS-W69A
750 x 750	RS-W69B



Size (mm)	Code
750 x 750	RS-W74B
900 x 900	RS-W74C



Size (mm)	Code
600 x 600	RS-W77AL
750 x 750	RS-W77BL
900 x 900	RS-W77CL



Size (mm)	Code
600 x 600	RS-W77AR
750 x 750	RS-W77BR
900 x 900	RS-W77CR



Size (mm)	Code
600 x 600	RS-W78A
750 x 750	RS-W78B
900 x 900	RS-W78C



Size (mm)	Code
600 x 500	RS-W813A
750 x 500	RS-W813B
900 x 600	RS-W813C



Size (mm)	Code
600 x 200	RS-W814A
750 x 250	RS-W814B
900 x 300	RS-W814C



Size (mm)	Code
750 x 500	RS-W815B
900 x 600	RS-W815C



Size (mm)	Code
600 x 500	RS-W816A
750 x 500	RS-W816B
900 x 600	RS-W816C



Size (mm)	Code
600 x 500	RS-W817IA
750 x 500	RS-W817IB
900 x 600	RS-W817IC
1200 x 800	RS-W817ID



Size (mm)	Code
600 x 500	RS-W8172A
750 x 500	RS-W8172B



Size (mm)	Code
600 x 500	RS-W822A
750 x 500	RS-W822B
900 x 600	RS-W822C



Size (mm)	Code
600 x 200	RS-W823A
750 x 250	RS-W823B



Size (mm)	Code
900 x 600	RS-W826C
1200 x 900	RS-W826D



Size (mm)	Code
750 x 375	RS-W827B
900 x 450	RS-W827C
1200 x 600	RS-W827D



Guide signs



Size (mm)	Code
1500 x 750	RS-G99A
1800 x 900	RS-G99B



Size (mm)	Code
900 x 900	RS-G910



Size (mm)	Code
900 x 1100	RS-G911-1



Size (mm)	Code
900 x 1100	RS-G911-2



Size (mm)	Code
900 x 1100	RS-G911-5



Size (mm)	Code
900 x 1100	RS-G911-10



Size (mm)	Code
950 x 1200	RS-G912



Size (mm)	Code
600 x 800	RS-G915A
900 x 1200	RS-G915B
1200 x 1600	RS-G915C



Size (mm)	Code
600 x 800	RS-G916A
900 x 1200	RS-G916B
1200 x 1600	RS-G916C



Size (mm)	Code
600 x 500	RS-G918A
900 x 600	RS-G918B



Size (mm)	Code
900 x 550	RS-G920



Size (mm)	Code
2100 x 450	RS-G932



Road signs

CROSSING

Size (mm)	Code
2100 x 450	RS-G933



Size (mm)	Code
900 x 600	RS-G9401



Size (mm)	Code
600 x 600	RS-G948A
750 x 750	RS-G948B
900 x 900	RS-G948C



Size (mm)	Code
450 x 300	RS-G949A
600 x 500	RS-G949B
900 x 600	RS-G949C



Size (mm)	Code
875 x 150	RS-G955L



Size (mm)	Code
875 x 150	RS-G955R



Size (mm)	Code
900 x 800	RS-G957A
1200 x 1067	RS-G957B



Size (mm)	Code
450 x 450	RS-G958A
600 x 600	RS-G958B



Size (mm)	Code
450 x 600	RS-G960A
600 x 800	RS-G960B



Size (mm)	Code
600 x 1200	RS-G962



Size (mm)	Code
900 x 900	RS-G963L



Size (mm)	Code
900 x 900	RS-G963R



Size (mm)	Code
750 x 600	RS-G964



Size (mm)	Code
600 x 1200	RS-G965



Size (mm)	Code
2300 x 1470	RS-G969



Size (mm)	Code
1500 x 1500	RS-G970



Parking signs



Size (mm)	Code
450 x 750	RS-G979A-40
600 x 1000	RS-G979B-40
800 x 1334	RS-G979C-40



Size (mm)	Code
450 x 750	RS-G979A-50
600 x 1000	RS-G979B-50
800 x 1334	RS-G979C-50



Size (mm)	Code
450 x 750	RS-G979A-60
600 x 1000	RS-G979B-60
800 x 1334	RS-G979C-60



Size (mm)	Code
600 x 600	RS-G761A
900 x 900	RS-G761B



Size (mm)	Code
800 x 850	RS-G712L

*Insert designated name as appropriate



Size (mm)	Code
800 x 850	RS-G712R

*Insert designated name as appropriate



Size (mm)	Code
225 x 300	RS-R514



Size (mm)	Code
225 x 300	RS-R516



Size (mm)	Code
450 x 225	RS-R510



Size (mm)	Code
225 x 300	RS-R535



Size (mm)	Code
450 x 600	RS-R573A
600 x 800	RS-R573B



Size (mm)	Code
600 x 225	RS-R539A
900 x 337	RS-R539B



Size (mm)	Code
600 x 800	RS-R550A
900 x 1200	RS-R550B



Size (mm)	Code
600 x 600	RS-R551A
900 x 900	RS-R551B



Size (mm)	Code
1500 x 1100	RS-R558L



Size (mm)	Code
1500 x 1100	RS-R558R



Road signs

Hazard markers



Size (mm)	Code
1600 x 400	RS-D411A
3200 x 800	RS-D411B



Size (mm)	Code
450 x 450	RS-D412A
600 x 600	RS-D412B



Size (mm)	Code
300 x 750	RS-D422A
400 x 1000	RS-D422B



Size (mm)	Code
1600 x 400	RS-D423A
3200 x 800	RS-D423B



Size (mm)	Code
225 x 450	RS-D43AL
450 x 900	RS-D43BL



Size (mm)	Code
225 x 450	RS-D43AR
450 x 900	RS-D43BR



Size (mm)	Code
1800 x 400	RS-D45



Size (mm)	Code
600 x 750	RS-D46A
750 x 900	RS-D46B
900 x 1125	RS-D46C

Sign posts and brackets

Sign posts

- Galvanised steel tubular sign posts
- 60mm outside diameter
- Use a sign mounting bracket to attach safety signs
- Use with a post cap to prevent erosion

Description	Code
Road sign galvanised post 60mm Ø - 1.6m high	SSP-1.6
Road sign galvanised post 60mm Ø - 2.1m high	SSP-2.1
Road sign galvanised post 60mm Ø - 3.2m high	SSP-3.2
Road sign galvanised post end cap	SSP-EC

Sign mounting brackets

- Use to mount a road sign on a round 60mm Ø post
- Made from non-corrosive aluminium
- Use the double bracket to mount signs in opposite directions

Description	Code
Sign post 60mm Ø mounting bracket single sided	SSP-B1
Sign post 60mm Ø mounting bracket double sided	SSP-B2

