Technical Data Sheet





Lithium-ion charging storage cabinet - 24 Outlet

APPLICATION

For the safe and secure charging and storage of lithium-ion batteries

FEATURES

- 24 charging points
- 10 amp horizontal rack power strips
- Three shelves with 8 charging points each shelf
- 3 Pin Flat 15 Amp Appliance inlet 250V
- 1 Pole 16 Amp 30mA RCBO
- 1 Pole 10 Amp 30mA RCB0
- 2 x 148mm fans at 55 cubic meters of air per hour
- IP54 rated fittings
- Double wall construction with 40mm thermal barrier
- Two self-closing doors with stainless steel, three point bullet self-latching system
- Adjustable hydraulic door closure
- Flush mount handle and key lock
- Internal spill containment bund with suspended perforated floor
- Durable UV stabilised thermosetting polyester powder coat finish

SPECIFICATIONS	
Product name	Lithium-ion charging storage cabinet
Code	SCIRL18
Charging outlets	24
Construction material	Steel
Fans	(2) x 148mm x 148mm x 67mm
Flow capacity	55m³/hr
Fitting rating	IP54
Surface finish	UV-stabilised polyester powder
Paint colour	White
Doors	2
Shelves (including base)	3
Outlets per shelf	8
External dimensions	1115mm x 520mm x 1850mm
Weight	175kg

+ - BATTERY CHARGING	NO SMOKING NO IGNITION SOURCES WITHIN 3M
240 VOLTS	
ACTIVALISM MAGE	in the passing

INTERNAL DIMENSIONS (W x D x H)	
Top shelf	925mm x 330mm x 350mm
Middle shelf	975mm x 325mm x 575mm
Base Shelf	840mm x 320mm x 565mm



