

Technical Data Sheet



SCES-EG34 Portable Gravity Fed Eyewash Station

APPLICATION

The portable gravity fed eyewash is used to flush hazardous contaminants and irritants from the eyes and face. This self-contained unit is ideal for locations that have limited or no plumbed water.

FEATURES


- 34.1 litre (9 gallon) capacity.
- Provides 15 minutes of flushing fluid at 1.5 litres per minute.
- High density polyethylene tank.
- Fold down arm activates the flow and folds up to protect spray outlets when not in use.
- Top carry handle for handling and portability.
- Wide-fill opening with threaded sealing cap for inspection, cleaning and filling.
- Wall mount bracket and inspection label on the cap for recording inspection dates.
- Optional eyewash preservative helps prevent the growth of bacteria in the eyewash tank (sold separately in a pack of 4x 250ml bottles).



SPECIFICATIONS	
Product name:	Portable gravity fed eyewash station - 34 Litre
Code:	SCES-EG34
Capacity:	34.1 litres (9 gallons)
Tank material:	FDA approved high-density polyethylene, green
Flushing:	1.5 litres /min for 15 minutes
Dimensions (tank - H/W/D):	376 mm x 555 mm x 255 mm

OPTIONS	
SCES-EEP4	Eyewash Bacteriostatic Preservative, pack of 4x 250mL bottles

MANUFACTURED TO MEET THE REQUIREMENTS OF	
AS4775-2007	Emergency Eyewash and Shower Equipment Standard
As per AS4775-2007, when activated, self-contained eyewash equipment shall deliver flushing fluid to the eyes at a flow rate not less than 1.5 litres per minute for a minimum of 15 minutes. Self-contained eyewash equipment shall be monitored to determine if flushing fluid needs to be changed or supplemented and shall be inspected annually to ensure compliance with the standard.	



Specifications may change without notice